

BATTERIES (LITHIUM OR SODIUM ION)

Tracking #	 	

Date _

2025 DG Checklist

he continued offering of non-compliant danger	arous goods packages may result in the or	nbargo of your dangerous goods shipments by FedEx.

DIRE	CTIONS: Mark the appropriate box for each item to indicate if	the shipment o	omplies	with the requirement. Check all sides of the package, as app	licable.
1.	Package in good condition and free of leakage, odor, or external damage. [5.0.2.4.1; 9.1.3.1 (i)]	YN	al	nipper's same signature next to amendments and terations (changes). [8.1.2.6]	Y N N/A
2.	Number and type of packaging(s) and/or overpack(s) corresponds to Shipper's Declaration. [9.1.3.1 (g)]	YN	N	OTE: An insertion in different handwriting or printing is not considered to be an alteration.	
3.	Shipper's Declaration included. [10.8.2] Typewritten or computer-generated per FX-07.	YN	One o	f the following two Packaging sections must be comp	oleted
4.	Shipment acceptable by both origin and destination locations per eSRG (does not apply to 023 shipments). [eSRG]	Y N N/A	To deter provided are liste	s the shipment is Overpacked. mine the section that must be completed, refer to the Packing Instruct on the Shipper's Declaration. If UN Specification Codes (4G, 1A1, d for outer packaging, then UN Specification packaging is required. If	ctions 4H1, etc.) For
5.	Batteries not shipped in same package as Class 1.4, 2.1, 3, 4.1, 4.2, 4.3, 5.1, 5.2 and 8 and 2.2 with Cargo Aircraft Only label, including All Packed in One and Overpack. [FX	YN		ks, mark both sections N/A if there are no visible UN Specification m	
	05 (b)]			NG INSTRUCTIONS: 952, 965-IB, 966-II, 967, 968-IB, 970, 977-II, 978	N/A
	THE SHIPPER'S DECLARATION king number must be completed by DG Specialist (if not already comple	ted by		be marked for Overpacks with no visible UN Specification	
hatc	per). Shipper must provide 3 copies in English with at least 2 copies with hings. For MPS shipments, all DG packages have one photocopy of the aration. [8.1.6.3; FX-08]			gid outer packaging is used as permitted by the Packing structions.	YN
6.	Shipper's Declaration prepared per FX-18 (does not apply to 023 shipments or shipments originating in U.S. territories or non-U.S. locations).	Y N N/A	Re	nipment complies with any Additional Packing equirements as applicable per the Packing Instruction. g., Further restricted Performance Standards, etc.)	Y N N/A
7.	Shipper and Consignee name and full address . For 023 shipments, shipper's address includes country name. [8.1.6.1; 8.1.6.2]	YN	977-I, N/A may	NG INSTRUCTIONS: 965-IA, 966-I, 968-IA, 969-I, 976, 978-I, 910, 974 be marked for Overpacks with no visible UN Specification	N/A
8.	Page of Pages. [8.1.6.4]	YN	marking	ackage permitted by Packing Instruction. [5.0.1.2 (b)]	YN
9.	Passenger and Cargo Aircraft or Cargo Aircraft Only limitations correctly indicated. UN3090, UN3480, UN3551. must be Cargo Aircraft Only. [8.1.6.5; PI 965; PI 968; PI 976]	YN	24. 16	PI 966, 969 and 977, Specification may be inner or outer packaging. A88/A99 – see FedEx Approval Letter	
	NOTE: S.P. A88 and A99 must be Cargo Aircraft Only.) packaging: Performance rating (X or Y). [6.0.4.2 (c); 0.4.1 Note]	YN
10.	Non-radioactive correctly indicated. [8.1.6.8]	YN	•	Packing Instruction 910 require ' X ' Performance	
11.	UN number preceded by prefix " UN ". [8.1.6.9.1, Step 1]	YN		Rating.	
12.	Proper Shipping Name. [8.1.6.9.1, Step 2]	YN		or (B) Specification Packaging with S, gross weight	Y N N/A
	Class 9 indicated [8.1.6.9.1, Step 3]	YN		es not exceed the iguplus Specification gross weight limit per	-
14.	Packing Group left blank on declaration. [8.1.6.9.1, Step 5]	YN		g., (4G/X 35/S /25/USA/C222)	
15.	Number of packages and type of packaging (e.g., 1 fibreboard box, 1 box fibreboard or 1 4G fibreboard box). [8.1.6.9.2, Step 6]	YN		nter actual package gross weight: kg otal weight of the package from airbill or package label)	
16.	Net quantity per package (in metric units) not exceeding Packing Instruction maximum per package, unless allowed by special provision. [8.1.6.9.2, Step 6 (a); A88; A99]	YN		nter (B) Specification weight limit: kg lax weight as listed within the Specification marking; e.g.))
17.	Packing Instruction number. [8.1.6.9.3, Step 8] NOTE: If A88 in the Authorization field, then PI is 910. If A99 in the authorization field, then PI is 974.	YN	N	OTE: For multi-piece shipment (MPS) complete the Gross Weight Worksheet on the last page of this checklist.	
18.	Shipment complies with special provisions . [IATA 4.2, column M] NOTE : A802 does not apply to UN3090 IB and UN3480 IB	Y N N/A	Re	nipment complies with any Additional Packing equirements as applicable per the Packing Instructiong., Further restricted Performance Standards, etc.)	Y N N/A
	shipments.				
19.	24-hour emergency response telephone number , including international prefix, if required by State or	YN			

Operator variation. [2.8]

territories). [8.1.4.1; 8.1.6.13-14]

20. **Name, date**, and **shipper's signature** (signature may be y N typewritten for U.S. domestic shipments, including U.S.



BATTERIES (LITHIUM OR SODIUM ION)

Tracking #		

Date _

2025 DG Checklist

he continued offering of non-compliar	nt dangerous goods packages r	may result in the embargo of yo	our dangerous goods shipments by FedEx.
---------------------------------------	-------------------------------	---------------------------------	---

Th **D**I

IRE	CTIONS: Mark the appropriate box for each item to indicate if	the shipment	compl	lies with the requirement. Check all sides of the package, as applicable.			
	RKING AND LABELING		OV	/ERPACKS N/A			
	king and labels correspond to shipper's declaration and must be durably 3.2 (a); 7.2.1]	affixed.	43.	"Overpack Used" on declaration. [8.1.6.9.2, Step 7]			
	Package large enough to support all markings, labels, documentation and none are placed on the bottom of the package. FedEx branded packaging (including brown boxes) not used. [FX-06]	YN		"Overpack" marked on package(s) unless all marks and I nake and I labels representative of all dangerous goods in the overpack are clearly visible. [7.1.7.1]			
29.	Shipper and Consignee name and full address marked on package. [7.1.4.1 (b)]	YN		Complies with all other applicable State and Operator variations. [2.8]			
30.	UN number preceded by prefix "UN", meets size requirements and corresponds to declaration. [7.1.4.1 (a) 7.1.4.4]	Y N	46.	023 air waybill : Correct statements, as appropriate, in Handling Information box. [8.2.1; 8.2.2]			
	NOTE: UN number on Battery Mark meets this requirement.		trans	ere are any discrepancies indicated, your shipment cannot be sported by FedEx. In the U.S., this shipment is returned to the Shipper			
31.	Proper Shipping Name and corresponds to declaration [7.1.4.1 (a)]	. Y N	"4" f	using DOT-SP 14691. In the U.S., call 1.800.GoFedEx and press "81" then "4" for assistance. For non-U.S. locations, please contact your local Customer Service representative.			
32.	Shipments with more than one package : Net quantity marked on package. Not applicable when contents are same UN #, PSN, packing group, and quantity. [7.1.4.1 (c)]	Y N N/A	Prin	ted or other static representations of this document are considered ontrolled and for reference only.			
33.	Class 9 Lithium Battery or Sodium Ion Battery label on same surface and in diamond shape as Proper Shipping Name marking when package dimensions are adequate. [7.2.3.9.1; 7.2.6.2; 7.2.6.2.5; 7.3.X]			ACCEPTED chipments, applying the outcometion / ASTRA label indicates			
34.	Cargo Aircraft Only label affixed on same surface of package near hazard label(s), when required. UN3090, UN3480, and UN3551 must be Cargo Aircraft Only. [7.2.4.2; 7.2.6.3]	Y N N/A	the a	ACCEPTED shipments, ensure the automation/ASTRA label indicates appropriate handling code (ADG, IDG, ICE). If the handling code is sing or incorrect, perform a Revenue Exception (REX) scan and relabel shipment(s).			
35.	Markings and label(s) meeting IATA specifications, correctly applied (not obscured or covering required markings, not folded or wrapped on more than one face of package); irrelevant or contradictory markings/labels removed or obliterated. [7.1; 7.2; 7.3]	YN	_	I have confirmed the handling code is correct.			
488	ECIAL PROVISION A88 OR A99 or A99 must be indicated in the Authorization field on the Shipper's aration.	N/A	_	ployee #:ployee #:pper Contact Name:			
36.	Special Provision A88/A99 : Shipper on FedEx Express A88/A99 Approval list. [FX-05 (a)]	YN	Ship	pper Contact Phone:			
37.	Competent Authority approval document(s) attached to package and not expired. (e.g. Competent Authority [CA], DOT-SP, etc.) [A88; A99]	YN					
38.	FedEx Approval Letter attached to package and conditions are compliant. [FedEx Approval Letter]	YN					
SE	CTION IB LITHIUM ION OR METAL BATTERIES	N/A					
39.	"IB" or "1B" either after Packing Instruction or in Authorization. [8.1.6.9.3 Step 8]	YN					
10.	Battery Mark (Figure 7.1.C) is used. ${\bf UN}$ number required on the mark. [7.1.5.5]	YN					
	NOTE : Phone number is optional on the mark.						
ALI	PACKED IN ONE	N/A					
11.	"All Packed In One" and the packaging type on declaration. [8.1.6.9.2, Step 6 (f)]	YN					
12.	When required, "Q" value (to one decimal place) shown on declaration and does not exceed 1.0. See 2.7.5.6 (e) and 5.0.2.11 (h) for exceptions. [2.7.5.6 (f, g, h); 5.0.2.11	Y N N/A					

(g); 8.1.6.9.2 (g)]



GROSS WEIGHT WORKSHEET

Tracking # _____

Date _

2025 DG Checklist

The continued offering of non-compliant dangerous goods packages may result in the embargo of your dangerous goods shipments by FedEx.

DIRECTIONS: Use the table below to record the package gross weight and the UN Specification weight limit per the marking on the outer package. MPS shipments with the same gross weight and UN Specification weight limit may be grouped together on a single row. An example is provided at the end of this worksheet.

NOTE: To convert LBS to KG, divide LBS by 2.2.

Column A Piece Number	Column B Package Gross Weight	Column C UN Specification Weight Limit	Is Column B less than Column C?
	KG	KG	YN

If any of the rows are marked NO, the shipment must be rejected.

EXAMPLE:



# of Pieces	Column B Package Gross Weig	ht	Column C UN Specification Wo Limit	eight	Is Column B less
1	5	KG	16	KG	N